


# DUPLEX PARKING SYSTEM

The Duplex Parking system can lift your car and double your parking space.



## OVERVIEW

- The Duplex parking system can lift your car and double your car parking space
- Above ground parking system
- Single lifting column
- Ideal for residential and commercial use
- CE Approved
- Low voltage system with dead man switch

# ABOUT

## GENERAL DESCRIPTION

- Above ground parking system
- Double your car parking space
- Single lifting column
- 2500kg Capacity
- 1900mm lifting height with possibility to do to 2100mm

## APPLICATION

- Residential buildings
- Hotels
- Office Buildings



# KEY DIMENSIONS



## REQUIREMENTS

### Function:

Electrohydraulic – parachute valve – maximum carry valve control – adjustable down valve.

### Vehicle Capacity:


2500kg

### Available on Request:


Increased lifting height to 2100mm  
Outdoor coating.  
Custom RAL colours

<b>Motor</b>	Single phase 224V 15a
<b>Capacity</b>	2500kg
<b>Controls</b>	24V low voltage system with Deadman system
<b>Max Lifting Height</b>	1900mm (possibility to increase to 2100mm)
<b>Lifting Platform Dimensions</b>	4000mm L x 1840mm W
<b>Overall Width</b>	2615mm
<b>Column Width</b>	330 x 250mm
<b>Column Height</b>	2300mm the specification maybe changed to your requirements.

# LOAD FORCES



Loading on the ground x 2000kg = 10,45 KN/MQ  
 Loading on the ground x 2000kg = 13,06 KN/MQ

Car Stackers Australia	SCALE: 1:20		PLATFORM: 1840/1900/2000/2100 LENGTH: 4200 – 950 kG RAISE: 1840/1900/2000/2100 COLUMN: 2400/2500/2600/2700	TOTAL DIM: 590+UP X 4200
DUPLEX PARKING SYSTEM	DATE: 002 DEL 14/09/04			VIEW 3 D
				NR. REF : SD 900

# MAINTENANCE

## SERVICE & MAINTENANCE

Regular service and maintenance is recommended on your machine. Car Stackers Service Division offer periodical service and maintenance agreements.





# MACHINE DIMENSIONS

